<110> DuPont Pharmaceuticals Company

<120> Peptidase-cleavable, targeted antineoplastic drugs and their
therapeutic use

```
<130>
      PH-7134
<150>
       60/189,387
<151>
       2000-03-15
<160>
       210
<170>
       PatentIn version 3.0
<210>
       1
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       4-methoxy-benzenesulfonyl-beta-alanine
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

<400> 1

<220>

```
<222>
          (1)..(1)
          1,2-C6H4(CO)2-histidine
   <223>
   <220>
   <221>
          MOD_RES
   <222>
          (3)..(3)
         homophenylalanine
   <223>
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
          tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
   <400> 2
Xaa Gly Xaa Tyr Leu
    <210>
          3
    <211>
          5
<212>
          PRT
<213>
          Artificial Sequence
<220>
   <221> MOD_RES
    <222>
          (1)..(1)
HILL
    <223> acetyl-proline
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 3
    Xaa Leu Gly Leu Leu
    <210>
          4
    <211>
          5
    <212>
          PRT
    <213> Artificial Sequence
```

<221> MOD_RES

```
<220>
    <221>
          MOD_RES
    <222>
           (1)..(1)
          acetyl-proline
    <223>
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 4
   Xaa Leu Gly Leu Leu
<210>
          5
Ф
    <211>
          5
<212>
           PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (2)..(2)
    <223> beta alanine
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223>
          acetyl-proline
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
   Xaa Xaa Gly Leu Leu
    <210>
           6
    <211>
```

```
<220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-proline
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(5)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
UN MUNICIPART
    <400> 6
    Xaa Xaa Gly Leu Leu
                     5
    <210>
           7
<211>
    <212>
          PRT
NAC
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (2)..(2)
    <223>
           cyclohexylalanine
    <220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-proline
```

PEPTIDE

(1)..(5)

ordinarily skilled artisans

The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to

<220> <221>

<222>

<223>

<212>

<213>

<220> <221>

<222>

PRT

MOD_RES

(2)..(2)

<223> 4-aminobutyric acid

Artificial Sequence

```
Xaa Xaa Gly Leu Leu
<210>
       8
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       8
Pro Leu Gly Leu Leu
<210>
       9
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       MeOCH2CH2OCH2(=0)-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 9
Xaa Leu Gly Leu Leu
1
                5
<210>
       10
<211>
       5
<212>
      PRT
```

<400> 7

E WEITER

TORU

<213> Artificial Sequence

```
<221>
            PEPTIDE
     <222>
            (1)..(5)
    <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
    <400> 10
    Xaa Leu Gly Leu Leu
    <210>
           11
<211>
           5
    <212>
           PRT
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
            (1)..(1)
    <222>
ij
<223>
           H2NCH2CH2N(CH2CH2)2NCH2C(=0)-proline
TI
TI
    <220>
    <221>
           PEPTIDE
    <222>
            (1)..(5)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 11
    Xaa Leu Gly Leu Leu
    <210>
           12
    <211>
    <212>
           PRT
```

Artificial Sequence

MOD_RES

(1)..(1)

<220><221>

<222>

<223>

<220>

<213>

<220> <221>

<222>

MOD_RES

(1)..(1)

MeOCH2CH2OCH2CH2OCH2C(=0)-proline

```
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
<220>
<221> PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 12
Xaa Leu Gly Leu Leu
<210> 13
<211>
      5
<212>
     PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> AcN(CH2CH2)2NCH2C(=0)-proline
<220>
<221> PEPTIDE
      (1)..(5)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 13
Xaa Leu Gly Leu Leu
                5
1
<210>
      14
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223> O-benzyl-serine
```

```
TOMODAY, JENNORUM
```

```
<221>
      PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      14
Pro Leu Gly Xaa
<210>
       15
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 15
Xaa Leu Gly Leu
<210>
       16
<211>
       5
<212> PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

<222> (1)..(1)

ordinarily skilled artisans

```
<400> 16
Xaa Pro Leu Gly Leu
<210>
       17
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       sarcosine (N-methylglycine)
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 17
Xaa Pro Arg Xaa Xaa Leu
<210>
       18
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
```

```
<223> acetyl-proline
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
     <220>
     <221> PEPTIDE
     <222>
           (1)..(5)
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 18
     Xaa His Gly Xaa Leu
£
<210> 19
     <211> 5
     <212> PRT
L
     <213> Artificial Sequence
     <220>
<221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
M
I
<220>
     <221> MOD_RES
     <222>
           (2)..(2)
     <223> ornithine
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
    <220>
    <221> PEPTIDE
    <222> (1)..(5)
     <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
```

```
<400> 19
     Xaa Xaa Gly Xaa Leu
     <210>
            20
     <211>
            5
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
            acetyl-proline
     <223>
     <220>
     <221>
            MOD_RES
<222>
            (2)..(2)
diaminoproprionic acid
     <223>
     <220>
            MOD_RES
     <221>
4
     <222>
            (4)..(4)
<223>
            homophenylalanine
T
     <220>
T.
     <221>
            PEPTIDE
     <222>
            (1)..(5)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
pel,
            ordinarily skilled artisans
     <400>
            20
     Xaa Xaa Gly Xaa Leu
     <210>
            21
     <211>
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
            MOD_RES
     <221>
     <222>
             (1)..(1)
```

I

acetyl-proline

<223>

```
<220>
<221>
       MOD_RES
<222>
      (2)..(2)
<223> N5-aminocarbonylornithine
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 21
Xaa Xaa Gly Xaa Leu
                5
<210>
     22
<211>
      5
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
       (0-(3-pyridyl-)) tyrosine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Leu
<210>
       23
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (O-(4-pyridyl-)) tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 23
Xaa Leu Gly Xaa Leu
<210>
       24
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       (4-aza-) homophenylalanine
```

```
DUBLISHS. LEEPIL
```

<223>

carbobenzyloxy-proline

```
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 24
Xaa Leu Gly Xaa Leu
<210>
       25
<211>
       5
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
      (0-benzyl-) serine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 25
Xaa Leu Gly Xaa Leu
<210>
      26
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

```
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (0-(4-pyridylmethyl-)) tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       26
Xaa Leu Gly Xaa Leu
<210>
       27
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       sarcosine (N-methylglycine)
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      27
Xaa Leu Xaa Leu Leu
1
<210>
       28
<211>
       5
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
       acetyl-proline
<223>
<220>
<221>
       MOD_RES
<222>
      (2)..(2)
<223>
       (N-Me-) leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(2)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 28
Xaa Xaa Gly Leu Leu
                5
<210> 29
<211>
       5
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
       (N-Me-) leucine
<220>
<221>
      PEPTIDE
       (1)..(5)
<222>
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
DYBORBJE - OFFIST
```

<400>

31

Xaa Leu Gly Leu Leu

```
<400> 29
Xaa Leu Gly Xaa Leu
<210>
       30
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl 4-hydroxyproline
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      30
Xaa Leu Gly Leu Leu
<210>
       31
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-(thiazolidine-4-carbonyl)
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
DUBLIE TENENT
```

```
5
1
<210> 32
<211>
       5
       PRT
<212>
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> acetyl-(Homo-proline)
<220>
       PEPTIDE
<221>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<222>
       tide synthesizer using readily available materials well known to
<223>
       ordinarily skilled artisans
<400>
      32
Xaa Leu Gly Leu Leu
                 5
 <210>
       33
 <211>
        5
       PRT
 <212>
       Artificial Sequence
 <213>
 <220>
 <221>
       MOD_RES
       (1)..(1)
 <222>
 <223> acetyl-(Homo-proline)
 <220>
 <221> MOD_RES
        (4)..(4)
 <222>
 <223> homophenylalanine
 <220>
 <221>
        PEPTIDE
        (1)..(5)
 <222>
        The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
 <223>
        ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Leu
<210>
       34
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-(Homo-proline)
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       ornithine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 34
Xaa Xaa Gly Xaa Leu
<210>
       35
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-Nipecotate
```

```
<221>
       PEPTIDE
<222>
      (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 35
Xaa Leu Gly Leu Leu
<210> 36
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-2-carboxyazetidine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 36
Xaa Leu Gly Leu Leu
<210> 37
<211>
      5
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-cyclohexylglycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
```

tide synthesizer using readily available materials well known to

<222>

(1)..(6)

ordinarily skilled artisans

```
<400> 37
Xaa Leu Gly Leu Leu
<210>
       38
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223> valerolactam
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 38
Xaa Xaa Gly Leu Leu
1
                5
<210> 39
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      PEPTIDE ·
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 39
Xaa Pro Leu Gly Leu Phe
<210>
      40
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       40
Xaa Pro Leu Gly Phe Phe
                5
<210>
       41
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-leucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<400> 41
Xaa Gly Leu Tyr Leu
<210>
       42
<211>
       5
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      cyclopropylcarbonyl-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      42
Xaa Gly Leu Tyr Leu
<210>
       43
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      cyclobutylcarbonyl-leucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

Xaa Gly Leu Tyr Leu

<400> 43

```
DEPOS OF THE PROPERTY
```

```
1
                5
<210>
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       pivaloyl-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 44
Xaa Gly Leu Tyr Leu
<210> 45
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       4-hydroxproline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 45
Xaa Gly Pro Leu Gly Leu Leu
1
                5
<210>
       46
<211>
       6
```

```
I TELEFICATION OF THE PROPERTY OF THE PROPERTY
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       46
Xaa Leu Gly Leu Ala Leu
<210>
       47
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 47
Xaa Leu Gly Leu Tyr Leu
<210>
       48
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
```

```
TUBLESIC . LEESIL
```

```
<221> MOD_RES
<222>
       (1)..(1)
<223> polyethyleneglycol-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       48
Xaa Leu Gly Leu Tyr Leu
                5
<210>
       49
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       H3CC(=0)NH-polyethyleneglycol-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 49
Xaa Leu Gly Leu Tyr Leu
<210>
       50
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
```

```
DOBUKKIP DBPRDI
```

<222>

(1)..(6)

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 50
Xaa Leu Gly Leu Tyr Leu
                5
<210>
       51
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 51
Xaa Leu Gly Leu Ser Leu
1
<210>
       52
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-glycine
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 52
Xaa Pro Leu Gly Leu Leu
<210>
       53
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> O(CH2CH2)NCH2CH2NHC(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 53
Xaa Pro Leu Gly Leu Leu
<210>
      54
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

```
HORINGE DEPOSITE
```

```
<400> 54
Xaa Pro Leu Gly Leu Tyr
<210>
       55
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 55
Xaa Leu Gly Leu Leu Leu
<210>
       56
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      biphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

<222>

(1)..(6)

ordinarily skilled artisans

```
<400> 56
Xaa Pro Leu Gly Xaa Phe
<210>
       57
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 57
Xaa Pro Leu Gly Xaa Phe
                5
1
<210>
       58
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       carbobenzyloxy-glycine
<223>
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 58
Xaa Pro Leu Gly Leu Leu
                5
<210>
       59
<211>
      6
<212> PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 59
Xaa Pro Leu Gly Leu Leu
                5
<210> 60
<211>
<212> PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> H2NCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

```
<400> 60
Xaa Pro Leu Gly Leu Leu
<210>
       61
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       N, N-dimethylglycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       61
Xaa Pro Leu Gly Leu Leu
<210>
       62
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-gamma-glutamic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

Xaa Pro Leu Gly Leu Leu

62

<400>

<222>

(1)..(6)

```
1
                5
<210>
       63
<211>
       PRT
<212>
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      3-thienylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       63
Xaa Pro Leu Gly Xaa Phe
<210>
       64
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
       2-phenylglycine
<223>
<220>
<221>
       PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 64
Xaa Pro Leu Gly Xaa Phe
<210>
       65
<211>
       6
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> methoxyacetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 65
Xaa Pro Leu Gly Leu Leu
                5
<210> 66
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      3-thienylalanine
```

```
<221> PEPTIDE
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 66
     Xaa Pro Leu Gly Xaa Leu
                     5
     <210> 67
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
<222>
           (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
     <222>
           (5)..(5)
N
     <223> 2-phenylglycine
<220>
     <221> PEPTIDE
M
     <222>
            (1)..(6)
I
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 67
     Xaa Pro Leu Gly Xaa Leu
                    5
     <210> 68
     <211>
           6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
```

<223> N.N-dimethylglycine

```
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       68
Xaa Pro Leu Gly Xaa Leu
<210>
       69
<211>
       6
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       biphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       69
Xaa Pro Leu Gly Xaa Leu
                5
1
<210>
      70
<211> 6
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 70
Xaa Pro Leu Gly Phe Xaa
<210>
       71
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<210>
            72
     <211>
            6
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
     <223>
            acetyl-glycine
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
<223>
            2-naphthylalanine
<220>
            MOD_RES
     <221>
     <222>
            (6)..(6)
T
            biphenylalanine
     <223>
ij
<220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
I
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400>
           72
     Xaa Pro Leu Gly Xaa Xaa
     <210>
            73
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
```

<220> <221>

<222>

<223>

MOD_RES

(1)..(1)

acetyl-glycine

<400> 71

Xaa Pro Leu Gly Leu Xaa

```
DGECHASE OFFICE
```

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 73
Xaa Pro Leu Gly Phe Ala
                 5
<210>
       74
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       biphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 74
Xaa Pro Leu Gly Xaa Ala
<210>
       75
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

<220>

```
<223> acetyl-glycine
 <220>
 <221>
        PEPTIDE
 <222>
        (1)..(6)
 <223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
       75
Xaa Pro Leu Gly Leu Ala
                 5
<210>
       76
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221> MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 76
Xaa Pro Leu Gly Xaa Phe
<210>
      77
<211>
      6
<212>
      PRT
<213>
     Artificial Sequence
```

```
<221>
       MOD_RES
<222>
       (1)..(1)
       acetyl-glycine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 77
Xaa Pro Gln Gly Leu Leu
<210>
       78
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 78
Xaa Pro Arg Gly Leu Leu
<210>
       79
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
```

```
<210>
     <211>
     <212>
     <213>
     <220>
     <221>
     <222>
<220>
     <221>
     <222>
     <223>
     <210>
```

(1)..(1)

```
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
       4-pyridyl-alanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 79
Xaa Pro Leu Gly Leu Xaa
       80
       PRT
       Artificial Sequence
      MOD_RES
      (1)..(1)
<223> acetyl-glycine
       PEPTIDE
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 80
Xaa Pro Leu Gly Leu Arg
      81
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
```

```
TOREGO, SERVICE
```

```
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       81
Xaa Pro Leu Gly Leu Trp
                5
<210>
       82
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
       (1)..(1)
<222>
<223>
       acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       82
Xaa Pro Leu Gly Val Leu
                5
<210>
       83
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
```

```
MOD_RES
  <221>
          (5)..(5)
  <222>
         homophenylalanine
  <223>
  <220>
         PEPTIDE
   <221>
         The synthesis of this peptide may be performed on an ABI 433A pep
   <222>
          tide synthesizer using readily available materials well known to
   <223>
          ordinarily skilled artisans
   <400> 83
   Xaa Pro Leu Gly Xaa Leu
   1
           84
    <210>
6
    <211>
           PRT
    <212>
           Artificial Sequence
<213>
    <220>
           MOD_RES
    <221>
           (1)..(1)
J.
    <222>
           acetyl-glycine
L
    <223>
ij
<220>
L
            PEPTIDE
    <221>
           The synthesis of this peptide may be performed on an ABI 433A pep
<222>
            tide synthesizer using readily available materials well known to
     <223>
            ordinarily skilled artisans
     <400> 84
     Xaa Pro Leu Ala Leu Leu
             85
     <210>
      <211>
             6
             PRT
      <212>
            Artificial Sequence
      <213>
      <220>
            MOD_RES
      <221>
             (1)..(1)
      <222>
      <223> N,N-dimethylglycine
```

```
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223> biphenylalanine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 85
Xaa Pro Ile Gly Xaa Leu
<210>
       86
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (3)..(3)
<223> cyclohexylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
5
    <210>
           87
    <211>
           6
    <212>
          PRT
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-glycine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
ordinarily skilled artisans
    <400> 87
D)
   Xaa Pro Val Gly Leu Leu
5
<210>
           88
<211>
           6
   <212>
           PRT
T
   <213>
           Artificial Sequence
H
<220>
   <221>
          MOD_RES
   <222>
           (1)..(1)
   <223>
          N, N-dimethylglycine
   <220>
   <221>
          PEPTIDE
   <222>
           (1)..(6)
          The synthesis of this peptide may be performed on an ABI 433A pep
   <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
   <400>
          88
   Xaa Pro Ile Gly Leu Leu
   1
                    5
```

Xaa Pro Xaa Gly Xaa Leu

```
<211>
           6
    <212>
          PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223> N,N-dimethylglycine
    <220>
    <221>
          MOD_RES
    <222>
          (5)..(5)
    <223> biphenylalanine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
<223>
          The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
ordinarily skilled artisans
    <400> 89
L
   Xaa Pro Arg Gly Xaa Leu
J
   <210>
          90
<211>
           6
    <212>
          PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223> acetyl-glycine
   <220>
   <221>
          MOD_RES
   <222>
          (6)..(6)
    <223>
          O-benzyl-tyrosine
   <220>
   <221>
          PEPTIDE
   <222>
           (1)..(6)
          The synthesis of this peptide may be performed on an ABI 433A pep
   <223>
          tide synthesizer using readily available materials well known to
```

<210>

89

(1)..(6)

ordinarily skilled artisans

```
<400> 90
Xaa Pro Leu Gly Leu Xaa
<210>
       91
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 91
Xaa Pro Leu Gly Glu Leu
<210> 92
<211> 6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 92
Xaa Pro Lys Gly Xaa Leu
<210>
       93
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 93
Xaa Pro Leu Gly Leu Glu
<210> 94
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      biphenylalanine
```

```
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 94
Xaa Pro Leu Gly Xaa Glu
<210> 95
<211>
       7
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223> sarcosine (N-methylglycine)
<220>
<221>
       MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      95
Xaa Pro Arg Xaa Xaa Arg Leu
1
                5
<210>
       96
<211>
      7
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       96
Xaa Pro Arg Gly Xaa Arg Leu
                5
<210> 97
<211>
       7
<212> PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Pro Arg Gly Xaa Arg Leu
<210>
       98
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 98
Xaa Pro Leu Gly Asn Leu
<210>
       99
<211> 6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       99
Xaa Pro Leu Gly Ser Leu
```

```
DOBOMENJE JOHUBOL
```

```
<210>
       100
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      4-hydroxy-phenyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 100
Xaa Pro Leu Gly Xaa Leu
<210>
       101
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

(4)..(4)

ordinarily skilled artisans

```
<400> 101
Xaa Leu Gly Xaa His Leu
<210>
       102
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 102
Xaa Leu Gly Xaa Ala Leu
                5
<210>
      103
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      MOD_RES
```

```
DANDENJE DEFECT
```

```
<223> homphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 103
Xaa Leu Gly Xaa Tyr Leu
<210>
      104
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
      morpholinylpropyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      104
Xaa Leu Gly Xaa Xaa Leu
```

```
<210>
       105
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      105
Xaa Pro Leu Gly Xaa Tyr Leu
<210>
       106
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       succinyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
```

tide synthesizer using readily available materials well known to

ordinarily skilled artisans

<222>

(1)..(1)

```
<400> 106
     Xaa Leu Gly Xaa Tyr Leu
                     5
     <210>
            107
     <211>
     <212>
           PRT
     <213>
           Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221>
           MOD_RES
<222>
           (5)..(5)
            (0-(4-pyridylmethyl)-tyrosine)
     <223>
M
     <220>
J.
     <221>
           MOD_RES
L
     <222>
            (4)..(4)
<223>
           homophenylalanine
<220>
    <221>
           PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
           107
    <400>
    Xaa Leu Gly Xaa Xaa Leu
    <210>
           108
    <211>
           6
    <212>
           PRT
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
```

```
<220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homo-tyrosine
     <220>
     <221>
           PEPTIDE
     <222>
           (1)..(6)
     <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 108
    Xaa Leu Gly Xaa Tyr Leu
<210>
          109
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
<221> MOD_RES
    <222>
           (1)..(1)
    <223> acetyl-proline
<220>
    <221>
           MOD_RES
    <222>
           (4)..(4)
          4-aza-homophenylalanine
    <223>
    <220>
    <221>
          PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
           109
```

<223> acetyl-proline

Xaa Leu Gly Xaa Tyr Leu

```
TORGEO, SERBORE
```

```
<210>
       110
<211>
        6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (0-(4-pyridyl-)-tyrosine)
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 110
Xaa Leu Gly Xaa Tyr Leu
<210>
       111
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       phenylpropyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

(4)..(4)

ordinarily skilled artisans

```
<400> 111
Xaa Leu Gly Xaa Tyr Leu
<210>
      112
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> styryl-alanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 112
Xaa Leu Gly Xaa Tyr Leu
                5
<210> 113
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
```

```
<223> O-benzyl-serine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 113
Xaa Leu Gly Xaa Tyr Leu
                5
<210>
       114
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       N, N-dimethyl-lysine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      114
Xaa Xaa Gly Xaa Tyr Leu
                5
```

```
DUBLIABLE DEEBLI
```

```
<210> 115
<211>
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetylproline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       diaminopropionic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      115
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
      116
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
```

```
<220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223>
            ornithine
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 116
     Xaa Leu Gly Xaa Xaa Leu
<210>
            117
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
<220>
L
     <221>
            MOD_RES
     <222>
            (1)..(1)
7
     <223>
            polyethyleneglycol-proline
T
<220>
     <221>
            MOD_RES
     <222>
            (4)..(4)
            homophenylalanine
     <223>
     <220>
     <221>
           MOD_RES
     <222>
            (5)..(5)
     <223>
            ornithine
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
```

ordinarily skilled artisans

tide synthesizer using readily available materials well known to

```
Xaa Leu Gly Xaa Xaa Leu
<210> 118
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
       (5)..(5)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> ornithine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 118
Xaa Pro Leu Gly Xaa Xaa Leu
<210> 119
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      gamma-glutamic acid
```

```
I THE THE TENENT OF THE TENENT
```

<223>

ornithine

```
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223>
      ornithine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 119
Xaa Pro Leu Gly Xaa Xaa Leu
                5
<210>
      120
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221> MOD_RES
<222>
       (2)..(2)
<223>
      ornithine
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
```

```
<220>
<220>
L
ij
T
L
     <220>
     <222>
     <220>
     <222>
     <223>
```

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      120
Xaa Xaa Gly Xaa Xaa Leu
<210>
       121
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<221>
       MOD_RES
<222>
       (1)..(1)
       acetyl-proline
<223>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       ornithine
<221>
       MOD_RES
       (4)..(4)
<223>
       homophenylalanine
<221>
       PEPTIDE
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      121
Xaa Xaa Gly Xaa Tyr Leu
<210>
      122
<211>
      7
```

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223> ornithine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 122
Xaa Pro Xaa Gly Xaa Glu Leu
<210> 123
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (2)..(2)
<223> ornithine
```

<223>

acetyl-proline

```
<221> PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 123
Xaa Xaa Gly Leu Tyr Leu
<210>
      124
<211>
       6
<212> PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
       4-aza-phenylalanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 124
Xaa Xaa Gly Leu Tyr Leu
<210>
       125
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
```

```
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
      homophenylalanine
<223>
<220>
<221>
       MOD_RES
<222>
      (5)..(5)
       2,4-diaminobutanoic acid
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 125
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
       126
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Lys Leu
                5
1
<210>
      127
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
      MOD_RES
      (5)..(5)
<222>
<223> N,N-dimethyl-lysine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      127
Xaa Leu Gly Xaa Xaa Leu
<210>
      128
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      N, N-dimethylglycine
<223>
```

```
<221> MOD_RES
      (5)..(5)
<222>
<223> homophenylalanine
<220>
<221> MOD_RES
      (6)..(6)
<222>
<223> N,N-dimethyl-lysine
<220>
<221> PEPTIDE
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 128
Xaa Pro Leu Gly Xaa Xaa Leu
                 5
<210> 129
<211> 6
 <212> PRT
 <213> Artificial Sequence
 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> polyethyleneglycol-proline
 <220>
 <221> MOD_RES
        (4)..(4)
 <222>
 <223> homophenylalanine
 <220>
 <221> MOD_RES
 <222>
        (5)..(5)
 <223> N,N-dimethyl-lysine
 <220>
  <221>
        PEPTIDE
        The synthesis of this peptide may be performed on an ABI 433A pep
        (1)..(6)
  <222>
         tide synthesizer using readily available materials well known to
  <223>
```

T

L

H

ordinarily skilled artisans

(1)..(1)

<222>

```
129
    <400>
    Xaa Leu Gly Xaa Xaa Leu
    <210>
           130
           7
    <211>
    <212>
          PRT
           Artificial Sequence
    <213>
    <220>
    <221> MOD_RES
    <222> (1)..(1)
    <223> acetyl-gamma-glutamic acid
<220>
     <221>
           MOD_RES
£
     <222>
            (5)..(5)
     <223> homophenylalanine
<220>
     <221> MOD_RES
           (6)..(6)
     <222>
- I E E E E
     <223> N,N-dimethyl-lysine
     <220>
           PEPTIDE
     <221>
            (1)..(7)
     <222>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
     <223>
            ordinarily skilled artisans
     <400> 130
     Xaa Pro Leu Gly Xaa Xaa Leu
     <210>
             131
     <211>
             7
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
            MOD_RES
      <221>
```

```
<223> gamma-glutamic acid
<220>
      MOD_RES
<221>
       (5)..(5)
<222>
<223> homophenylalanine
<220>
<221> MOD_RES
       (6)..(6)
<222>
<223> N,N-dimethyl-lysine
<220>
       PEPTIDE
<221>
       The synthesis of this peptide may be performed on an ABI 433A pep
<222>
       (1)..(7)
       tide synthesizer using readily available materials well known to
<223>
       ordinarily skilled artisans
 <400> 131
Xaa Pro Leu Gly Xaa Xaa Leu
                 5
 <210>
        132
 <211>
       6
 <212>
       PRT
        Artificial Sequence
 <213>
 <220>
 <221> MOD_RES
        (1)..(1)
 <222>
        acetyl-proline
 <223>
 <220>
 <221> MOD_RES
        (4)..(4)
  <222>
        homophenylalanine
  <223>
  <220>
        MOD_RES
  <221>
        (5)..(5)
  <222>
        N, N-dimethyl-lysine
  <223>
```

```
<221> MOD_RES
     <222>
           (6)..(6)
     <223> norleucine
     <220>
     <221>
            PEPTIDE
     <222>
           (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 132
     Xaa Leu Gly Xaa Xaa Xaa
     <210> 133
<211> 6
     <212> PRT
     <213> Artificial Sequence
<220>
     <221> MOD_RES
<222>
           (1)..(1)
إيا
T
     <223> acetyl-proline
ij
<220>
m
     <221> MOD_RES
<222> (4)..(4)
T)
     <223> homophenylalanine
<220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223> N,N-dimethyl-lysine
     <220>
     <221> MOD_RES
     <222>
           (6)..(6)
     <223> cyclohexylalanine
    <220>
     <221>
           PEPTIDE
    <222>
            (1)..(6)
     <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
```

tide synthesizer using readily available materials well known to

ordinarily skilled artisans

<222> (1)..(1)

```
<400> 133
     Xaa Leu Gly Xaa Xaa Xaa
     <210> 134
     <211>
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
(I)
     <222>
(4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
           (5)..(5)
     <223> N5-aminocarbonylornithine
T
TJ
     <220>
I
     <221> PEPTIDE
<222>
            (1)..(6)
H
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 134
     Xaa Leu Gly Xaa Xaa Leu
                     5
     1
     <210> 135
     <211>
           7
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
```

```
DUBURUS DEFENI
```

```
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> N5-aminocarbonylornithine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 135
Xaa Pro Leu Gly Xaa Xaa Leu
                5
<210> 136
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
     MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
     PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Gln Leu
      <210>
             137
      <211>
             6
      <212>
             PRT
      <213>
            Artificial Sequence
      <220>
      <221>
            MOD_RES
      <222>
            (1)..(1)
      <223>
            acetyl-proline
     <220>
     <221>
            MOD_RES
     <222>
            (4)..(4)
I
I
I
I
     <223>
            homophenylalanine
<220>
T)
     <221>
            MOD_RES
     <222>
             (5)..(5)
     <223>
4-aza-phenylalanine
<220>
TI
     <221>
            PEPTIDE
<222>
            (1)..(6)
D)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 137
     Xaa Leu Gly Xaa Xaa Leu
     <210>
            138
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
```

<400> 136

<221>

<222>

<223>

MOD_RES

(1)..(1)

acetyl-proline

```
<220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 138
     Xaa Leu Gly Xaa Val Leu
FREDRED
     <210>
            139
     <211>
     <212>
            PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
T.
     <222>
            (1)..(1)
<223>
            acetyl-gamma-glutamic acid
     <220>
Ţ,
     <221> MOD_RES
     <222>
            (5)..(5)
     <223> homophenylalanine
     <220>
     <221>
           PEPTIDE
     <222>
            (1)..(7)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 139
     Xaa Pro Leu Gly Xaa Glu Leu
```

<210> 140 <211> 6

<220>

<222>

<223>

<221> MOD_RES

(4)..(4)

homophenylalanine

```
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
      (2)..(2)
<223> 2-carboxyazetidine
<220>
      PEPTIDE
<221>
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 140
Xaa Xaa Leu Gly Leu Leu
                5
<210>
      141
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-(4-fluoro-phenylalanine)
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 141
Xaa Leu Gly Leu Leu
                5
```

```
<210>
        142
<211>
        6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       142
Xaa Leu Gly Leu Tyr Leu
<210>
       143
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       ornithine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

```
<400>
      143
Xaa Leu Gly Xaa Xaa Leu
                 5
<210>
       144
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-2-carboxyazetidine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 144
Xaa Leu Gly Leu Tyr Leu
<210>
       145
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-2-carboxyazetidine
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
```

```
<223> ornithine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 145
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
       146
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 146
Xaa Leu Gly Leu Tyr Gly
<210>
       147
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
```

```
<221>
       MOD_RES
 <222>
       (4)..(4)
 <223> homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400> 147
Xaa Leu Gly Xaa Tyr Gly
<210>
       148
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> beta-homo-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       148
Xaa Leu Gly Leu Tyr Xaa
                5
<210>
      149
<211>
       6
<212>
      PRT
<213> Artificial Sequence
```

```
<223> acetyl-proline
     <220>
     <221>
           MOD_RES
     <222>
           (4)..(4)
           homophenylalanine
     <223>
     <220>
     <221>
           MOD_RES
     <222>
           (6)..(6)
     <223> beta-homo-leucine
     <220>
<221>
           PEPTIDE
£
     <222>
            (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
ordinarily skilled artisans
T
T.
     <400> 149
Xaa Leu Gly Xaa Tyr Xaa
T
1
I
     <210>
           150
     <211>
            6
     <212>
           PRT
     <213>
           Artificial Sequence
     <220>
           MOD_RES
     <221>
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221>
           MOD_RES
     <222>
           (6)..(6)
     <223> beta-alanine
```

<220> <221>

<222>

PEPTIDE

(1)..(6)

<220> <221>

<222>

MOD_RES

(1)..(1)

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 150
Xaa Leu Gly Leu Tyr Xaa
<210>
       151
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> 6-aminohexanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 151
Xaa Leu Gly Leu Tyr Xaa
<210> 152
<211>
       6
<212>
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
```

```
<221>
       MOD_RES
<222>
        (6)..(6)
<223>
       4-amino-5-phenylpentanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      152
Xaa Leu Gly Leu Tyr Xaa
                 5
<210>
       153
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
       4-amino-7-methylheptanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 153
Xaa Leu Gly Leu Tyr Xaa
1
                5
<210>
       154
<211>
      7
<212>
      PRT
<213> Artificial Sequence
```

```
DUBLIER OF OFFI
```

```
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 154
Xaa Leu Gly Leu Leu Ala Leu
<210>
       155
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       155
Xaa Leu Gly Leu Tyr Ala Leu
1
<210>
       156
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

```
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 156
Xaa Pro Leu Gly Leu Ala Leu
                5
1
<210>
      157
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       157
Xaa Leu Gly Leu Ala Ala Leu
1
<210>
       158
<211>
      7
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
       (1)..(1)
<222>
<223>
       acetyl-proline
```

```
HINDRICH INCIDENT
```

```
PEPTIDE
<221>
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 158
Xaa Leu Gly Leu Ala Leu Leu
                5
<210> 159
<211>
<212>
     PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 159
Xaa Leu Gly Leu Leu Ser Leu
                5
<210> 160
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

<222>

(1)..(7)

ordinarily skilled artisans

```
<400> 160
Xaa Leu Gly Leu Leu Leu
<210>
      161
<211>
       7
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 161
Xaa Pro Leu Gly Leu Tyr Leu
<210>
      162
<211>
      7
<212>
      PRT
      Artificial Sequence
<213>
<220>
      MOD_RES
<221>
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
      MOD_RES
<221>
<222>
      (5)..(5)
<223>
      2-phenylglycine
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans
<400> 162
Yan Pro Arg Gly Yan Tyr Leu

```
Xaa Pro Arg Gly Xaa Tyr Leu
<210> 163
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> acetyl-glycine
<220>
<221> PEPTIDE
       (1)..(7)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      163
Xaa Pro Leu Gly Leu Arg Leu
<210> 164
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
       4-(2-(5,6,7,8-tetrahydronaphthenyl))butyl-glycine
<223>
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223> homophenylalanine
```

```
<222>
<223>
<220>
    <221>
T)
    <222>
FL)
Ų
<220>
F
    <221>
<220>
     <221>
     <222>
     <223>
     <400>
           165
```

```
<221>
      PEPTIDE
<222>
      (1)..(4)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 164
Xaa Xaa Tyr Leu
<210>
      165
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
      MOD_RES
<221>
      (1)..(1)
      acetyl-proline
      MOD_RES
      (4)..(4)
<223> homophenylalanine
      MOD_RES
<222> (5)..(5)
<223> N-methylpiperazinepropyl-glycine
      PEPTIDE
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
Xaa Leu Gly Xaa Xaa Leu
                5
       166
<210>
<211>
       6
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> tetrazoleacetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
      homophenylalanine
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 166
Xaa Leu Gly Xaa Tyr Leu
<210>
       167
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
       tetrazoleacetyl-proline
<223>
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
      O-benzyl-serine
<220>
       PEPTIDE
<221>
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Tyr Leu
                5
1
<210>
       168
<211>
      6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       tetrazoleacetyl-proline
<223>
<220>
       MOD_RES
<221>
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
      norleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 168
Xaa Leu Gly Xaa Tyr Xaa
                5
1
<210>
       169
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
      O-benzyl-serine
```

```
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 169
Pro Leu Gly Xaa Tyr Leu
<210> 170
<211>
       6
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223> homo-tyrosine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 170
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
      171
<211>
       6
<212> PRT
<213> Artificial Sequence
```

<222>

(1)..(6)

```
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
      MOD_RES
<221>
<222>
      (2)..(2)
<223> 4-aza-hydroxy-phenylalanine
<220>
      MOD_RES
<221>
<222>
      (4)..(4)
<223>
     4-aza-hydroxy-phenylalanine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 171
Xaa Xaa Gly Xaa Tyr Leu
<210>
       172
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
     MOD_RES
<221>
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
     O-allyl-serine
<223>
<220>
<221>
       PEPTIDE
```

Xaa Leu Gly Xaa Tyr Leu

The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans <400> 172

```
<210>
      173
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
      4-nitro-homophenylalanine
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 173
Xaa Leu Gly Xaa Tyr Leu
1
<210>
      174
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
       (1)..(1)
      acetyl-proline
```

<223>

```
DARDADDE DEFEND
```

```
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
      MOD_RES
<221>
<222>
      (5)..(5)
      4-aza-hydroxy-phenylalanine
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 174
Xaa Leu Gly Xaa Xaa Leu
<210>
      175
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222> (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

Xaa Leu Gly Xaa Tyr Leu

<400> 175

```
<210>
            176
     <211>
            7
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
     <223>
            acetyl-gamma-glutamic acid
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223> O-benzyl-serine
     <220>
     <221>
            PEPTIDE
4
     <222>
            (1)..(7)
J.
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
tide synthesizer using readily available materials well known to
ordinarily skilled artisans
L
     <400> 176
Xaa Pro Leu Gly Xaa Tyr Leu
Ji
L
I
     <210>
            177
     <211>
            7
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
     <221>
           MOD_RES
     <222>
           (1)..(1)
     <223>
            acetyl-gamma-glutamic acid
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223>
            O-benzyl-serine
```

5

1

<220> <221>

<222>

MOD_RES

(7)..(7)

<220>

```
<223> norleucine
 <220>
<221>
       PEPTIDE
<222>
        (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 177
Xaa Pro Leu Gly Xaa Tyr Xaa
                 5
<210>
       178
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       3-pyridinecarbonyl-proline.
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       178
Xaa Leu Gly Xaa Tyr Leu
1
                5
<210> 179
<211>
      6
<212> PRT
<213> Artificial Sequence
```

<223> norleucine

```
<221> MOD_RES
<222>
      (1)..(1)
<223> 2-pyrazinecarbonyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 179
Xaa Leu Gly Xaa Tyr Leu
                5
<210> 180
<211>
      6
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222> (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      dimethyl-lysine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
```

```
TJETT OFFIT
```

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 180
Xaa Leu Gly Xaa Xaa Xaa
<210>
       181
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
       MOD_RES
<221>
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
      homoserine
<220>
<221>
       PEPTIDE
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 181
Xaa Leu Gly Xaa Tyr Xaa
                5
1
<210>
       182
<211> 6
```

```
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homo-phenylalanine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
      homo-leucine
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
     182
Xaa Leu Gly Xaa Tyr Xaa
<210>
      183
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-threonine
```

<213> Artificial Sequence

```
<221> PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 183
Xaa Leu Gly Xaa Tyr Leu
<210>
       184
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-gamma-glutamic acid
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
      homophenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
       (7)..(7)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      184
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      185
<211>
       7
<212>
      PRT
```

<222>

(1)..(7)

```
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       gamma-glutamic acid
<223>
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       ornithine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 185
Xaa Pro Xaa Gly Xaa Glu Leu
<210>
       186
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-serine
<220>
<221>
       PEPTIDE
```

<212>

<213>

<220>

PRT

Artificial Sequence

```
The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
 <400> 186
 Xaa Pro Leu Gly Xaa Tyr Leu
 <210>
        187
 <211>
        7
 <212>
        PRT
 <213>
        Artificial Sequence
 <220>
 <221>
       MOD_RES
 <222>
       (1)..(1)
 <223>
       gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223> O-benzyl-serine
<220>
<221>
       MOD_RES
<222>
       (7)..(7)
<223>
       norleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       187
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
     188
<211>
       6
```

```
DOMINATE OF THIS
```

```
<221>
     MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      188
Pro Leu Gly Xaa Tyr Leu
<210>
      189
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 189
Pro Leu Gly Xaa Tyr Leu
<210> 190
<211>
       6
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
       4-aza-hydroxy-phenylalanine
```

(1)..(6)

<222>

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 190
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       191
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
       (4)..(4)
<222>
      homophenylalanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 191
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       192
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 192
Pro Leu Gly Xaa Glu Leu
<210>
      193
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-serine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 193
Pro Leu Gly Xaa Tyr Xaa
<210>
      194
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
```

<213> Artificial Sequence

```
<221> MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 194
Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      195
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
      4-aza-hydroxy-phenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 195
Pro Leu Gly Xaa Tyr Xaa
                5
<210> 196
<211>
      6
<212> PRT
```

```
<220>
    <221>
           MOD_RES
    <222>
           (4)..(4)
           homophenylalanine
    <223>
    <220>
    <221>
           MOD_RES
    <222>
           (6)..(6)
    <223>
          norleucine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 196
    Pro Leu Gly Xaa Tyr Xaa
                     5
L
    <210>
           197
    <211>
    <212>
          PRT
<213>
           Artificial Sequence
JI
M
    <220>
T
    <221>
           MOD_RES
    <222>
           (4)..(4)
           homophenylalanine
    <223>
    <220>
    <221>
           MOD_RES
    <222>
           (6)..(6)
    <223>
          norleucine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
```

4

```
Pro Leu Gly Xaa Glu Xaa
                5
<210>
      198
<211>
      6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
      O-benzyl-serine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223>
      homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 198
Pro Leu Gly Xaa Tyr Xaa
<210>
       199
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
       O-methyl-serine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
      homoleucine
<223>
```

```
<221>
            PEPTIDE
     <222>
           (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 199
     Pro Leu Gly Xaa Tyr Xaa
     <210>
            200
     <211> 6
     <212>
           PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223>
           4-aza-hydroxy-phenylalanine
    <220>
    <221> MOD_RES
    <222>
           (6)..(6)
    <223> homoleucine
<220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
I
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
pel,
    <400>
           200
    Pro Leu Gly Xaa Tyr Xaa
    <210>
          201
    <211>
          6
    <212>
           PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
```

L)

MUM

I

TI.

L

<222>

<223>

(4)..(4)

homophenylalanine

```
<221>
      MOD_RES
<222>
       (6)..(6)
      homoleucine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 201
Pro Leu Gly Xaa Tyr Xaa
                5
<210>
       202
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
      homophenylalanine
<223>
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
       homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 202
Pro Leu Gly Xaa Glu Xaa
1
<210> 203
<211> 4
```

<220>

国は国籍

I

```
OPROPASE OFFICE
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(4)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 203
Pro Leu Gly Leu
<210>
       204
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      PEPTIDE
       (1)..(7)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       204
Pro Leu Gly Leu Leu Tyr Leu
<210>
     205
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
      205
<400>
Gly Pro Leu Gly Leu
                5
```

```
DAEDER DEEELT
```

```
206
<210>
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      206
Asp Pro Leu Gly Leu
                5
<210>
       207
<211>
       5
<212>
       PRT
      Artificial Sequence
<213>
<220>
<221> PEPTIDE
<222>
      (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 207
Pro Glu Gln Gly Leu
                5
<210>
      208
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(4)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

Pro Gln Gly Leu

208

<400>

```
1
    <210>
           209
    <211>
           7
    <212>
           PRT
    <213>
          Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (5)..(5)
    <223>
           diphenylalanine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(7)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 209
Pro Leu Gly Leu Xaa Ala Arg
210
    <210>
    <211>
           4
    <212>
           PRT
Artificial Sequence
    <213>
J
<220>
T
    <221>
           MOD_RES
    <222>
           (4)..(4)
           homophenylalanine
    <223>
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(4)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 210
    Pro Leu Gly Xaa
```